



The tactio INEO-01PPG is 1 LAN-in (data + power) port and 1 LAN-out (data only) port. Power over Ethernet Splitter that is designed to support Ethernet devices such as Access Points or IP cameras. It can provide four different types of DC power over existing Cat-5 cable to a device with an Ethernet port and solve the limit of the outlet location. It is a superb choice to boost your network with better performance and efficiency.

- 1 LAN-In Port (Data + Power) + 1 LAN-Out Port (Data Only)
- Power Detection and Classification
- Compliant with IEEE 802.3at
- Supports 5V, 7.5V, 9V and 12 V output voltage

No Special Networking Cable Required

By adding PoE devices, you can use an existing standard Cat-5 Ethernet cable to deliver both power and data where power source is difficult to obtain. It helps you reduce the time of installation and cost.

Technical Specifications

- **Standards**
 - IEEE 802.3 10BaseT
 - IEEE 802.3u 100BaseTX
 - IEEE 802.3ab 1000BaseT
 - IEEE 802.3at PoE
- **Number of Ports:**
 - 1 LAN-in (data + power) Port
 - 1 LAN-out (data only) Port
- **Filtering/Forwarding Rates**
 - 10Mbps port - 14,880pps
 - 100Mbps port - 148,800pps
 - 1000Mbps port - 1,488,000pps
- **Transmission Media**
 - 10BaseT/100BaseTX/1000BaseT Cat. 5 UTP/STP
- **LED Indicators**
 - Per Port : PoE Act/Status
 - Per Unit : Power
- **Power Output**

tactio™

5V/4A, 7.5V/2.7A, 9V/2.3A and 12V/1.8A

- **Power Consumption**
22 Watts
- **Dimensions**
102 × 75 × 23 mm (L x W x H)
- **Weight**
0.28 kg
- **Operating Temperature**
0 to 50°C
- **Storage Temperature**
-20 to 90°C
- **Humidity**
10 to 90% RH (non-condensing)
- **Certifications**
FCC Class A, CE

